

# manton

## Pushrods®

**Toll Free**  
**877-626-8667**

**Jobber Price List**  
Effective Date December 31, 2015  
Prices subject to change without notice  
This list supercedes all previous lists

All prices are based on a ball/ball pushrod configuration. All pushrods that require a ball/cup (8620) pushrod end there will be an additional charge.

### **Series 1** Mild Performance - 4/30/4/35 Normalized - Non-Guide Plate Use

PART #	Straight Pushrods				Racer	Jobber
101	5/16	x	.065	Wall	11.47 each	9.56 each
102	3/8	x	.058	Wall	9.67 each	8.06 each
102-035	3/8	x	.035	Wall	9.67 each	8.06 each
103	3/16	x	.035	Wall	9.67 each	8.06 each
104	1/4	x	.049	Wall	9.67 each	8.06 each

### **Series 2** Mild to Medium Performance - 4/30/4/35 Normalized Melonite™ Processed - Guide Plate Use

PART #	Straight Pushrods				Racer	Jobber
201	5/16	x	.065	Wall	12.48 each	10.40 each
202	3/8	x	.058	Wall	10.65 each	8.88 each

### **Series 3** Medium to High Performance - 4/30/4/35 Hard Drawn - Non-Guide Plate Use

PART #	Straight Pushrods				Racer	Jobber	
301	5/16	x	.083	Wall	11.47 each	9.56 each	
301-118	5/16	x	.118	Wall	13.10 each	10.92 each	
302	11/32	x	.120	Wall	14.82 each	12.35 each	
304	3/8	x	.095	Wall	13.28 each	11.06 each	
304-120	3/8	x	.120	Wall	15.07 each	12.56 each	
304-145	3/8	x	.145	Wall	18.02 each	15.02 each	
305	7/16	x	.120	Wall	14.74 each	12.29 each	
305-168	7/16	x	.168	Wall	18.02 each	15.02 each	
306	1/2	x	.120	Wall	18.02 each	15.02 each	
306-156	1/2	x	.156	Wall	24.57 each	20.48 each	
306-188	1/2	x	.188	Wall	24.57 each	20.48 each	
307	9/16	x	.120	Wall	21.29 each	17.75 each	
307-156	9/16	x	.156	Wall	24.57 each	20.48 each	
307-188	9/16	x	.188	Wall	26.21 each	21.84 each	
PART #	Tapered Pushrods				Racer	Jobber	
310	11/32	to	5/16	.120 Wall	Single Taper	26.05 each	21.71 each
311	11/32	to	5/16	.120 Wall	Dual Taper	26.05 each	21.71 each
312	3/8	to	5/16	.095 Wall	Single Taper	26.05 each	21.71 each
312-120	3/8	to	5/16	.120 Wall	Single Taper	27.69 each	23.08 each
312-145	3/8	to	5/16	.145 Wall	Single Taper	29.33 each	24.44 each
313	3/8	to	5/16	.095 Wall	Dual Taper	26.05 each	21.71 each
313-120	3/8	to	5/16	.120 Wall	Dual Taper	27.69 each	23.08 each
313-145	3/8	to	5/16	.145 Wall	Dual Taper	29.33 each	24.44 each
314	3/8	to	11/32	.095 Wall	Single Taper	26.05 each	21.71 each
314-120	3/8	to	11/32	.120 Wall	Single Taper	27.69 each	23.08 each
314-145	3/8	to	11/32	.145 Wall	Single Taper	29.33 each	24.44 each
315	3/8	to	11/32	.095 Wall	Dual Taper	26.05 each	21.71 each
315-120	3/8	to	11/32	.120 Wall	Dual Taper	27.69 each	23.08 each
315-145	3/8	to	11/32	.145 Wall	Dual Taper	29.33 each	24.44 each
316	7/16	to	3/8	.120 Wall	Single Taper	26.05 each	21.71 each
316-168	7/16	to	3/8	.168 Wall	Single Taper	29.33 each	24.44 each
317	7/16	to	3/8	.120 Wall	Dual Taper	26.05 each	21.71 each
317-168	7/16	to	3/8	.168 Wall	Dual Taper	29.33 each	24.44 each
318	1/2	to	7/16	.120 Wall	Single Taper	28.67 each	23.89 each
318-156	1/2	to	7/16	.156 Wall	Single Taper	35.22 each	29.35 each
318-188	1/2	to	7/16	.188 Wall	Single Taper	35.22 each	29.35 each
319	1/2	to	7/16	.120 Wall	Dual Taper	28.67 each	23.89 each
319-156	1/2	to	7/16	.156 Wall	Dual Taper	35.22 each	29.35 each

**High Performance Custom Pushrods**

All prices are based on a ball/cup pushrod configuration. All pushrods that require a ball/cup (8620) pushrod end there will be an additional charge.

**Series 3 Medium to High Performance - 4130/4135 Hard Drawn - Non-Guide Plate Use**

PART #	Tapered Pushrods				Racer	Jobber
319-188	1/2	to 7/16	.188 Wall	Dual Taper	35.22 each	29.35 each
320	9/16	to 1/2	.120 Wall	Single Taper	32.76 each	27.30 each
320-156	9/16	to 1/2	.156 Wall	Single Taper	36.04 each	30.03 each
320-188	9/16	to 1/2	.188 Wall	Single Taper	36.04 each	30.03 each
321	9/16	to 1/2	.120 Wall	Dual Taper	32.76 each	27.30 each
321-156	9/16	to 1/2	.156 Wall	Dual Taper	36.04 each	30.03 each
321-188	9/16	to 1/2	.188 Wall	Dual Taper	36.04 each	30.03 each

-S After a tapered part number indicates that there is a special grind

**Series 4 Medium to High Performance - 4130/4135 Melonite™ Processed - Guide Plate Use**

PART #	Straight Pushrods				Racer	Jobber
401	5/16	x	.083 Wall		13.10 each	10.92 each
401-118	5/16	x	.118 Wall		16.38 each	13.65 each
402	11/32	x	.120 Wall		15.60 each	13.00 each
404	3/8	x	.095 Wall		13.93 each	11.61 each
404-120	3/8	x	.120 Wall		16.38 each	13.65 each
404-145	3/8	x	.145 Wall		18.42 each	15.35 each
405	7/16	x	.120 Wall		16.38 each	13.65 each
405-168	7/16	x	.168 Wall		18.42 each	15.35 each

**Series 5 Maximum Performance - 4130/4135 Salt Heat Treated to 275,000 p.s.i. Tensil - Non-Guide Plate Use**

PART #	Straight Pushrods				Racer	Jobber
501	5/16	x	.083 Wall		16.38 each	13.65 each
501-118	5/16	x	.118 Wall		19.66 each	16.38 each
502	11/32	x	.120 Wall		19.66 each	16.38 each
503	3/8	x	.095 Wall		19.66 each	16.38 each
503-120	3/8	x	.120 Wall		22.93 each	19.11 each
503-145	3/8	x	.145 Wall		26.21 each	21.84 each
504	7/16	x	.120 Wall		26.21 each	21.84 each
504-168	7/16	x	.168 Wall		29.48 each	24.57 each
505	1/2	x	.120 Wall		29.48 each	24.57 each
505-156	1/2	x	.156 Wall		36.04 each	30.03 each
505-188	1/2	x	.188 Wall		36.04 each	30.03 each
507	9/16	x	.120 Wall		29.48 each	24.57 each
507-156	9/16	x	.156 Wall		32.76 each	27.30 each
507-188	9/16	x	.188 Wall		36.04 each	30.03 each
508-188	5/8	x	.188 Wall		36.04 each	30.03 each
509	3/4	x	.120 Wall		40.95 each	34.13 each
509-156	3/4	x	.156 Wall		42.59 each	35.49 each
PART #	Tapered Pushrods				Racer	Jobber
510	11/32	to 5/16	.120 Wall	Single Taper	32.60 each	27.17 each
511	11/32	to 5/16	.120 Wall	Dual Taper	32.60 each	27.17 each
512	3/8	to 5/16	.095 Wall	Single Taper	32.60 each	27.17 each
512-120	3/8	to 5/16	.120 Wall	Single Taper	34.24 each	28.54 each
512-145	3/8	to 5/16	.145 Wall	Single Taper	35.88 each	29.90 each
513	3/8	to 5/16	.095 Wall	Dual Taper	32.60 each	27.17 each
513-120	3/8	to 5/16	.120 Wall	Dual Taper	34.24 each	28.54 each
513-145	3/8	to 5/16	.145 Wall	Dual Taper	35.88 each	29.90 each
514	3/8	to 11/32	.095 Wall	Single Taper	32.60 each	27.17 each
514-120	3/8	to 11/32	.120 Wall	Single Taper	34.24 each	28.54 each
514-145	3/8	to 11/32	.145 Wall	Single Taper	35.88 each	29.90 each
515	3/8	to 11/32	.095 Wall	Dual Taper	32.60 each	27.17 each
515-120	3/8	to 11/32	.120 Wall	Dual Taper	34.24 each	28.54 each
515-145	3/8	to 11/32	.145 Wall	Dual Taper	35.88 each	29.90 each
516	7/16	to 3/8	.120 Wall	Single Taper	33.91 each	28.26 each
516-168	7/16	to 3/8	.168 Wall	Single Taper	37.67 each	31.40 each
517	7/16	to 3/8	.120 Wall	Dual Taper	33.91 each	28.26 each
517-168	7/16	to 3/8	.168 Wall	Dual Taper	37.67 each	31.40 each

**Series 5** Maximum Performance - 4130/4135 Salt Heat Treated to 275,000 p.s.i. Tensil - Non-Guide Plate Use

PART #	Tapered Pushrods				Racer	Jobber
518	1/2	to 7/16	.120 Wall	Single Taper	39.31 each	32.76 each
518-156	1/2	to 7/16	.156 Wall	Single Taper	42.59 each	35.49 each
518-188	1/2	to 7/16	.188 Wall	Single Taper	42.59 each	35.49 each
519	1/2	to 7/16	.120 Wall	Dual Taper	39.31 each	32.76 each
519-156	1/2	to 7/16	.156 Wall	Dual Taper	42.59 each	35.49 each
519-188	1/2	to 7/16	.188 Wall	Dual Taper	42.59 each	35.49 each
520	9/16	to 1/2	.120 Wall	Single Taper	40.95 each	34.13 each
520-156	9/16	to 1/2	.156 Wall	Single Taper	44.23 each	36.86 each
520-188	9/16	to 1/2	.188 Wall	Single Taper	47.50 each	39.59 each
521	9/16	to 1/2	.120 Wall	Dual Taper	40.95 each	34.13 each
521-156	9/16	to 1/2	.156 Wall	Dual Taper	44.23 each	36.86 each
521-188	9/16	to 1/2	.188 Wall	Dual Taper	47.50 each	39.59 each
522-188	5/8	to 9/16	.188 Wall	Single Taper	47.50 each	39.59 each
523-188	5/8	to 9/16	.188 Wall	Dual Taper	47.50 each	39.59 each

-S After a tapered part number indicates that there is a special grind

**Tool Steel Solid Bar Pushrods**

PART #	Description	Racer	Jobber
903-B	3/8 Straight	55.13 each	45.94 each
904-B	7/16 Straight	55.13 each	45.94 each
905-B	1/2 Straight	55.13 each	45.94 each
906-B	9/16 Straight	55.13 each	45.94 each
916-B	7/16 x 3/8 Single Taper	57.76 each	48.13 each
917-B	7/16 x 3/8 Dual Taper	57.76 each	48.13 each
918-B	1/2 x 7/16 Single Taper	57.76 each	48.13 each
919-B	1/2 x 7/16 Dual Taper	57.76 each	48.13 each
920-B	9/16 x 1/2 Single Taper	57.76 each	48.13 each
921-B	9/16 x 1/2 Dual Taper	57.76 each	48.13 each

**Adjustable Checking Tools**

PART #	Description	Racer	Jobber
660 - E, M, K, O, R, U	3/8 Adjustable Tool 6.000 to 7.000	10.14 each	8.45 each
670 - E, M, K, O, R, U	3/8 Adjustable Tool 7.000 to 8.000	10.14 each	8.45 each
680 - E, M, K, O, R, U	3/8 Adjustable Tool 8.000 to 9.000	10.14 each	8.45 each
685 - E, M, K, O, R, U	3/8 Adjustable Tool 8.500 to 9.500 (BB Chry)	10.14 each	8.45 each
690 - E, M, K, O, R, U	3/8 Adjustable Tool 9.000 to 10.000	10.14 each	8.45 each
610 - E, M, K, O, R, U	3/8 Adjustable Tool 10.000 to 11.000	10.14 each	8.45 each
611 - E, M, K, O, R, U	3/8 Adjustable Tool 11.000 to 12.000	10.14 each	8.45 each
612 - E, M, K, O, R, U	3/8 Adjustable Tool 12.000 to 13.000	10.14 each	8.45 each
613 - E, M, K, O, R, U	3/8 Adjustable Tool 13.000 to 14.000	10.14 each	8.45 each
629	3/8 Adjustable Tool Kit 6.000 to 14.000	85.80 each	71.50 each
630	Chrysler 3/8 Adjustable Tool Kit 10.000 to 14.000	42.90 each	35.75 each
631	Pair of Checking Springs	3.12 each	2.60 each
632 - E	5/16 Ball Checking Tool Tip	5.38 each	4.49 each
633 - M	5/16 Cup Checking Tool Tip	5.38 each	4.49 each
634 - K	3/8 Cup Checking Tool Tip	5.38 each	4.49 each
635 - O	V Cup Checking Tool Tip	5.38 each	4.49 each
636 - U	13/32 Cup Checking Tool Tip	5.38 each	4.49 each
637 - R	Radius Cup Checking Tool Tip	5.38 each	4.49 each
620	7/16 Sleeve for 3/8 Checking Tool	6.24 each	5.20 each
621	1/2 Sleeve for 3/8 Checking Tool	6.24 each	5.20 each
622	9/16 Sleeve for 3/8 Checking Tool	6.24 each	5.20 each
623	5/8 Sleeve for 3/8 Checking Tool	6.24 each	5.20 each
624	4 Piece Sleeve Kit for 3/8 Checking Tool	18.72 each	15.60 each

E = 5/16 ball    M = 5/16 cup    K = 3/8 cup    O = V cup    R = Radius cup    U = 13/32 cup

-H After letter for a 3/8 radius end instead of 5/16 radius end on adjustable tool    "Length of tool is based on using a 5/16 Ball (E)"

**Labor**

PART #	Description	Racer	Jobber
701	Shorten Pushrod	5.46 each	4.55 each

## Labor

PART #	Description	Racer	Jobber
702	Replace Pushrod End	7.80 each	6.50 each
703	Straighten Pushrod	4.29 each	3.58 each
704	Shorten, Straighten & Replace One End	14.04 each	11.70 each

## Pushrod Tips

PART #	Description	Racer	Jobber
706	Pushrod Tip 8620 Steel	4.10 each	3.42 each
709	Pushrod Tip H-13 Tool Steel	8.19 each	6.83 each
709-2	Pushrod Tip H-13 Tool Steel 3/4 Tube	19.50 each	16.25 each
710	Pushrod Tip Upgrade to H-13 Tool Steel	5.74 each	4.78 each
710-2	Pushrod Tip Upgrade to H-13 Tool Steel 3/4 Tube	15.60 each	13.00 each
711	.281 V Copper Cup Upgrade	22.68 each	18.90 each
712	.281 Radius Copper Cup Upgrade	22.68 each	18.90 each
713	.281 V Copper Cup	25.84 each	21.53 each
714	.281 Radius Copper Cup	25.84 each	21.53 each
715	5/16 Radius Copper Cup	25.84 each	21.53 each
716	5/16 Radius Copper Cup Upgrade	22.68 each	18.90 each
717	5/16 Radius Copper Cup Upgrade for 3/4 Tube	25.14 each	20.95 each
793	Standard Cup Style Tip	1.48 each	1.24 each
794	10mm or 12mm Cup Style Tip	3.90 each	3.25 each

## Rockerarm Adjusting Screws

PART #	Description	Racer	Jobber
817	.281 Ball 7/16 x 20 Thread w/ Pressure Feed Side Hole H-13	22.06 each	18.38 each
818	.281 Ball 3/8 x 24 Thread w/ Pressure Feed Side Hole H-13	22.06 each	18.38 each
819	.281 Ball 3/8 x 24 Thread H-13	17.95 each	14.96 each
820	.281 Ball 3/8 x 24 Thread w/ Oil Hole H-13	18.90 each	15.75 each
821	3/8 Ball 7/16 x 20 Thread H-13	17.95 each	14.96 each
822	3/8 Ball 7/16 x 20 Thread w/ Oil Hole H-13 Length 1.300	18.90 each	15.75 each
822-L	3/8 Ball 7/16 x 20 Thread w/ Oil Hole H-13 Length 1.625	18.90 each	15.75 each
823-01	5/16 Ball 3/8 x 24 Thread H-13 Length 1.250	16.38 each	13.65 each
823-02	5/16 Ball 3/8 x 24 Thread H-13 Length 1.350	16.38 each	13.65 each
823-03	5/16 Ball 3/8 x 24 Thread H-13 Length 1.450	16.38 each	13.65 each
824-01	5/16 Ball 3/8 x 24 Thread w/ Oil Hole H-13 Length 1.250	17.95 each	14.96 each
824-02	5/16 Ball 3/8 x 24 Thread w/ Oil Hole H-13 Length 1.350	17.95 each	14.96 each
824-03	5/16 Ball 3/8 x 24 Thread w/ Oil Hole H-13 Length 1.450	17.95 each	14.96 each
825	5/16 Ball 7/16 x 20 Thread w/ Pressure Feed Side Hole H-13	22.06 each	18.38 each
826	3/8 Ball 7/16 x 20 Thread w/ Pressure Feed Side Hole H-13	22.06 each	18.38 each
827	5/16 Ball 7/16 x 20 Thread w/ Oil Hole H-13	18.90 each	15.75 each
828	3/8 Ball 3/8 x 24 Thread w/ Oil Hole H-13	18.90 each	15.75 each
828	3/8 Ball 3/8 x 24 Thread w/ Oil Hole H-13 Length 1.370	18.90 each	15.75 each
828-L	3/8 Ball 3/8 x 24 Thread w/ Oil Hole H-13 Length 1.600	18.90 each	15.75 each
829	13/32 Ball 12mm x 1.0 Thread H-13	22.06 each	18.38 each
830	13/32 Ball 7/16 x 20 Thread w/ Pressure Feed Side Hole H-13	22.06 each	18.38 each
832	13/32 Ball 7/16 x 20 Thread w/ Oil Hole H-13	18.90 each	15.75 each
833	5/16 Cup 3/8 x 24 Thread w/ Oil Hole H-13	18.90 each	15.75 each
834	5/16 Cup 3/8 x 24 Thread w/ Pressure Feed Side Hole H-13	18.90 each	15.75 each
835	5/16 Cup 7/16 x 20 Thread w/ Oil Hole H-13	18.90 each	15.75 each
836	5/16 Cup 7/16 x 20 Thread w/ Pressure Feed Side Hole H-13	18.90 each	15.75 each
850	7/16 x 20 x .700 O.D. 12 pt. Jam Nut	2.46 each	2.05 each
850g	7/16 x 20 x .620 O.D. 12 pt. Jam Nut	5.41 each	4.51 each
851	3/8 x 24 x .620 O.D. 12 pt. Jam Nut	2.46 each	2.05 each
851s	3/8 x 24 x .568 O.D. 12 pt. Jam Nut	2.46 each	2.05 each

## Assembly Lubricant & Manton Apparel

PART #	Description	Racer	Jobber
710101	.5 oz. Ultra Gel Moly Lube - Syringe Sampler	3.37 each	2.81 each
710102	3 oz. Ultra Gel Moly Lube - Grease Gun Cartridge	12.30 each	10.25 each
710103	3 oz. Ultra Gel Moly Lube - Jar	12.30 each	10.25 each
710104	8 oz. Ultra Gel Moly Lube - Jar	24.00 each	20.00 each
710105	3 oz. Grease Gun	23.99 each	19.99 each
710106	1 Quart Ultra Gel Moly Lube	81.60 each	68.00 each

Mail To: P.O. Box 245 Lake Elsinore, CA 92531  
Ship To: 601 Crane St. Building C Lake Elsinore, CA 92530

Phone: 951.245.6565 • Fax: 951.245.6563 • [www.pushrods.com](http://www.pushrods.com)

\*Although Manton Pushrods has over 30 years of experience in re-working and shortening used pushrods, we cannot be held responsible for parts that are damaged during these procedures. When pushrods are used for an extended period of time, work hardening of the molecular structure will result. This is why we cannot be responsible for parts that are just flat worn out.